




http://www.omega.com e-mail: info@omega.com



OS3700 Series Portable Infrared Thermometers

MARE

WARRANTY/DISCLAIMER

OMEGA ENGINEERING, INC. warrants this unit to be free of defects in materials and workmanship for a period of **25 months** from date of purchase. OMEGA Warranty adds an additional one (1) month grace period to the normal **two (2) year product warranty** to cover handling and shipping time. This ensures that OMEGA's customers receive maximum coverage on each product.

If the unit should malfunction, it must be returned to the factory for evaluation. OMEGA's Customer Service Department will issue an Authorized Return (AR) number immediately upon phone or written request. Upon examination by OMEGA, if the unit is found to be defective it will be repaired or replaced at no charge. OMEGA's WARRANTY does not apply to defects resulting from any action of the purchaser, including but not limited to mishandling, improper interfacing, operation outside of design limits, improper repair, or unauthorized modification. This WARRANTY is VOID if the unit shows evidence of having been tampered with or shows evidence of being damaged as a result of excessive corrosion; or current, heat, moisture or vibration; improper specification; misapplication; misuse or other operating conditions outside of OMEGA's control. Components which wear are not warranted, including but not limited to contact points, fuses, and triacs.

OMEGA is pleased to offer suggestions on the use of its various products. However, OMEGA neither assumes responsibility for any omissions or errors nor assumes liability for any damages that result from the use of its products in accordance with information provided by OMEGA, either verbal or written. OMEGA warrants only that the parts manufactured by it will be as specified and free of defects. OMEGA MAKES NO OTHER WARRANTIES OR REPRESENTATIONS OF ANY KIND WHATSOEVER, EXPRESSED OR IMPLIED, EXCEPT THAT OF TITLE, AND ALL IMPLIED WARRANTIES INCLUDING ANY WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED. LIMITATION OF LIABILITY: The remedies of purchaser set forth herein are exclusive and the total liability of OMEGA with respect to this order, whether based on contract, warranty, negligence, indemnification, strict liability or otherwise, shall not exceed the purchase price of the component upon which liability is besed. In no event shall OMEGA be liable for consequential, incidental or special damages.

CONDITIONS: Equipment sold by OMEGA is not intended to be used, nor shall it be used: (1) as a "Basic Component" under 10 CFR 21 (NRC), used in or with any nuclear installation or activity; or (2) in medical applications or used on humans. Should any Product(s) be used in or with any nuclear installation or activity, medical application, used on humans, or misused in any way, OMEGA assumes no responsibility as set forth in our basic WARRANTY/DISCLAIMER language, and additionally, purchaser will indemnify OMEGA and hold OMEGA harmless from any liability or damage whatsoever arising out of the use of the Product(s) in such a manner.

RETURN REQUESTS / INQUIRIES

Direct all warranty and repair requests/inquiries to the OMEGA Customer Service Department. BEFORE RETURNING ANY PRODUCT(S) TO OMEGA, PURCHASER MUST OBTAIN AN AUTHORIZED RETURN (AR) NUMBER FROM OMEGA'S CUSTOMER SERVICE DEPARTMENT (IN ORDER TO AVOID PROCESSING DELAYS). The assigned AR number should then be marked on the outside of the return package and on any correspondence.

The purchaser is responsible for shipping charges, freight, insurance and proper packaging to prevent breakage in transit.

FOR **WARRANTY** RETURNS, please have the following information available BEFORE contacting OMEGA:

- P.O. number under which the product was PURCHASED,
- 2. Model and serial number of the product under warranty, and
- 3. Repair instructions and/or specific problems relative to the product.

FOR **NON-WARRANTY** REPAIRS, consult OMEGA for current repair charges. Have the following information available BEFORE contacting OMEGA:

- 1. P.O. number to cover the COST of the repair,
- 2. Model and serial number of product, and
- 3. Repair instructions and/or specific problems relative to the product.

OMEGA's policy is to make running changes, not model changes, whenever an improvement is possible, This affords our customers the latest in technology and engineering.

OMEGA is a registered trademark of OMEGA ENGINEERING, INC.

© Copyright 1996 OMEGA ENGINEERING, INC. All rights reserved. This document may not be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form, in whole or in part, without prior written consent of OMEGA ENGINEERING, INC.

TABLE OF CONTENTS OS3700 SERIES

SECT	TION PA	AGE
SECT	TION 1 INTRODUCTION	1
1.1 1.2	General Description	1 2
SEC	TION 2 INSTALLATION	3
2.1 2.2 2.3	Charging the Batteries	3 3 4
SEC	TION 3 OPERATING FEATURES	5
3.1 3.2 3.3 3.4 3.5	Keys and Connectors	h
SEC	TION 4 SETTING UP THE OS3700	8
4.1 4.2 4.3 4.4 4.5	Entering the Set-up Mode	9
SEC	CTION 5 OPERATING PROCEDURES	10
5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 5.11	Special Display Modes	12 13 15 15 16 18 19

TABLE OF CONTENTS (Cont'd)

SECTION	PAGE
SECTION 6 SPECIAL MEASUREMENT CONSIDERATIONS	.20
6.1 Emissivity	. 20 . 21 . 22 22
SECTION 7 MAINTENANCE	. 23
7.1 Cleaning Optics	23
SECTION 8 TROUBLESHOOTING	. 26
SECTION 9 SPECIFICATIONS	28
9.1 OS3700 Specifications	28 30 31
APPENDIX A ERRORS CAUSED BY 1% EMISSIVITY CHANGE	32
APPENDIX B DATA LOGGER SOFTWARE INSTRUCTIONS	34
APPENDIX C TABLE OF EMISSIVITY OF VARIOUS SURFACES	41

FCC NOTICE

WARNING: This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instruction manual, may cause interference to radio communications. It has been tested and found to comply with the limits for a Class A computing device pursuant to Subpart J of Part 15 of FCC Rules, which are designed to provide reasonable protection against such interference when operated in a commercial environment. Operation of this equipment in a residential area is likely to cause interference, in which case the user at his own expense will be required to take whatever measures may be required to correct the interference.

Shielded cables should be used with this unit to insure compliance with the Class A limits.



OMEGAnet[™] On-Line Service http://www.omega.com

Internet e-mail info@omega.com

Servicing North America:

USA: ISO 9001 Certified

One Omega Drive, Box 4047 Stamford, CT 06907-0047

Tel: (203) 359-1660

FAX: (203) 359-7700

e-mail: info@omega.com

Canada:

976 Bergar

Laval (Quebec) H7L 5A1

Tel: (514) 856-6928 e-mail: canada@omega.com

FAX: (514) 856-6886

For immediate technical or application assistance:

USA and Canada: Sales Service: 1-800-826-6342 / 1-800-TC-OMEGASM Customer Service: 1-800-622-2378 / 1-800-622-BESTSM Engineering Service: 1-800-872-9436 / 1-800-USA-WHENSM TELEX: 996404 EASYLINK: 62968934 CABLE: OMEGA

Mexico and

Latin America:

Tel: (95) 800-TC-OMEGA^{sм} En Español: (203) 359-1660 ext: 2203

FAX: (95) 203-359-7807 e-mail: espanol@omega.com

Servicing Europe:

Benelux:

Postbus 8034, 1180 LA Amstelveen, The Netherlands Tel: (31) 20 6418405 FAX: (31) 20 6434643

Toll Free in Benelux: 06 0993344

e-mail: nl@omega.com

Czech Republic:

Ostravska 767, 733 01 Karvina

Tel: 42 (69) 6311899

FAX: 42 (69) 6311114

e-mail: czech@omega.com

France:

9, rue Denis Papin, 78190 Trappes

Tel: (33) 130-621-400

FAX: (33) 130-699-120

Toll Free in France: 0800-4-06342 e-mail: france@omega.com

Germany/Austria: Daimlerstrasse 26, D-75392 Deckenpfronn, Germany

Tel: 49 (07056) 3017

FAX: 49 (07056) 8540

Toll Free in Germany: 0130 11 21 66 e-mail: germany@omega.com

United Kingdom:

ISO 9002 Certified

25 Swannington Road,

Broughton Astley, Leicestershire,

LE9 6TU, England Tel: 44 (1455) 285520 FAX: 44 (1455) 283912 P.O. Box 7, Omega Drive, Irlam, Manchester, M44 5EX, England Tel: 44 (161) 777-6611 FAX: 44 (161) 777-6622

Toll Free in England: 0800-488-488 e-mail: uk@omega.com

It is the policy of OMEGA to comply with all worldwide safety and EMC/EMI regulations that apply. OMEGA is constantly pursuing certification of its products to the European New Approach Directives. OMEGA will add the CE mark to every appropriate device upon certification.

The information contained in this document is believed to be correct but OMEGA Engineering, Inc. accepts no liability for any errors it contains, and reserves the right to alter specifications without notice.

WARNING: These products are not designed for use in, and should not be used for, patient connected applications.

SECTION 1 INTRODUCTION

1.1 GENERAL DESCRIPTION

The OMEGA® OS3700 Series Portable Infrared Thermometer offers convenient handheld temperature measurements in a variety of applications. Temperature readings are provided on a large display in the viewfinder and in a window on the rear of the instrument. Features include Peak, Valley, and Average modes; data hold function; RS-232C communication for printer, computer or datalogger; mV or 0-1 V output; microprocessor-controlled calibration functions and diagnostics; digital emissivity control; built-in tripod socket; wrist strap and rubber hand grips; datalogging software; optional line printer; optional digital datalogger.

In addition to the features listed, two of the models (OS3721 and OS3722) are two-color systems. These allow measurements of black bodies where emissivity is randomly changing with time, as encountered in pouring of metals, or where particulate material partially opaques radiation to the detector. The guide is to always use a single color pyrometer unless it's not suitable for the application, then consider a two-color unit.



Figure 1-1. OS3700 Series

1.2 AVAILABLE MODELS

Model No.	Temperature Range °C/°F (Field Selectable)	Spectral Response (μm)	Field of View Beyond 1 m (min. focus distance 20") [min. spot size]	Accuracy	Response Time
OS3701	−50 to 1000°C −58 to 1832°F	8-14	40:1 (1½°) [0.6″]	±0.8% of reading in °K	0.75 sec.
OS3702	0 to 500°C 32 to 932°F (0.1° resolution)	8-14	20:1 (2½°) [1.2″]	±0.8% of reading in °K	1.0 sec.
O\$3703	50 to 600°C 122 to 1112°F	7.9	40:1 (1½°) [0.6″]	±1% of reading in °K	1.0 sec.
OS3704	300 to 1500°C 572 to 2732°F	4.8-5.2	60:1 (1°) [0.4"]	±1% of reading	1.0 sec.
OS3706	500 to 1500°C 932 to 2732°F	3.86	90:1 (²/₃°) [0.27″]	±1% of reading	1.0 sec.
OS3707	250 to 2000°C 482 to 3632°F	1.0-1.60	60:1 (1°) [0.4″]	±0.50% of reading	0.5 sec.
OS3708	600 to 3000°C 1112 to 5432°F	0.78-1.06	180:1 (1/3°) [0.14"]	±0.40% of reading	
OS3709	900 to 3000°C 1652 to 5432°F	0.65 (same as optical pyrometers)	300:1 (½°) [0.08″]	±0.25% of rdg. (NIST Traceable)	0.5 sec.
OS3721	700 to 2000°C 1112 to 3632°C	2-color near	60:1 [0.4"]	<u>+</u> 1% of	0.0 000.
OS3722	900 to 3000°C 1652 to 5432°F	0.9μm	180:1 [0.14"]	reading	

SECTION 2 INSTALLATION

2.1 UNPACKING

Remove the packing list and verify that all equipment has been received. If there are any questions about the shipment, please call OMEGA Customer Service Department.

Upon receipt of the shipment, inspect the container and equipment for any signs of damage. Take particular note of any evidence of rough handling in transit. Immediately report any damage to the shipping agent.

NOTE

The carrier will not honor any claims unless all shipping material is saved for their examination. After examining and removing contents, save packing material and carton in the event reshipment is necessary.

The standard items included with the unit are: OS3700 Infrared Thermometer with batteries installed, OS3700 charger unit (115, 220 or 100 VAC), instruction manual, analog output cable, digital communication cable (to DB-25M standard), data logging software, and custom carrying case. Other accessories may be packed in the carrying case, or separately. See "Accessories", Section 9.2 for a complete listing.

2.2 CHARGING THE BATTERIES

All units are shipped with the batteries installed in the unit, with a battery charger, printer cable and DC output cable. Optional accessories may also be packed in the carrying case.

IMPORTANT: PLEASE READ BEFORE USING
There are rechargeable batteries contained within the instrument which may not be fully charged when received. We recommend at least an overnight charging (12 hours) prior to initial use. The instrument may be operated from the supplied charging module only when the rechargeable batteries are installed.

DO NOT ATTEMPT TO CHARGE CARBON, ALKALINE OR LITHIUM BATTERIES AS SEVERE DAMAGE TO THE INSTRUMENT AND USER MAY RESULT.

The instrument may be operated from alkaline batteries if necessary, without a charger connected.

The OS3700 may be operated with a battery charger (115, 220 or 100 VAC), or an isolated, regulated DC power supply capable of supplying 12 VDC at 200 milliamperes. If erratic behavior is observed with a user-furnished power supply, immediately discontinue its use!

2.3 STORAGE

When the instrument is not used, replace it in its carrying case and keep it closed. Store in a dry area, out of direct sunlight. The storage temperature should be between -5 to 140°F (-20 to +65°C). Allow the unit to reach ambient temperature before operating in order to achieve maximum accuracy. The instrument contains Nickel Cadmium rechargeable batteries, which if charged, will remain charged from one to four months. Be certain that the unit is OFF when stored in its carrying case, or the batteries will discharge.




Figure 2-1. Overall View

SECTION 3 OPERATING FEATURES

3.1 KEYS AND CONNECTORS

Figures 3-1 and 3-2 show the keys and connectors on OS3700 units.




Figure 3-1. Front View of OS3700




Figure 3-2. Rear View of OS3700

3.2 OPERATING MODES

The OS3700 may be operated in either of two distinct modes: the Continuous mode, or the Momentary mode.

- In the Continuous mode, the OS3700 continuously takes temperature measurements and updates the LCD display. It also recalculates data for each new reading. This mode is used for continuous temperature monitoring.
- In the Momentary mode, the OS3700 takes one reading, then holds that reading. The Momentary mode is used for one-time measurements, or for multiple discrete measurements. The Momentary mode features auto-shutoff for saving battery power.

3.2 EMISSIVITY

When making temperature measurements of any object, it is necessary to know its emissivity. Emissivity values range from 1.00 for a perfect "blackbody" to .02 for a highly reflective surface, such as that of gold. All instruments are calibrated with sources that have an effective emissivity of 0.99 or better. The OS3700 provides an easy way to set the emissivity of the unit to match the emissivity of the target. This is covered in Section 5. When using the OS3700, be sure that the emissivity is properly set, to insure accurate results.

3.3 SIGHTING

The OS3700 has focusable, through-the-lens, sighting. The viewfinder has an adjustable eye piece, and an internal temperature readout. The OS3700 can focus from 21 inches. With the use of accessory snap-on lenses, the OS3700 can focus down to as close as 7.5 inches (19 cm). See Section 5.12. Accurate readings may be obtained at closer distances, although the target cannot be visibly focused. A circular reticle in the center* of the viewfinder defines the exact area of measurement when the unit is in focus. Very high temperature models have a built-in filter to protect the eyes when viewing a bright, high-temperature target.




Figure 3-3. Viewfinder with Back-Lit Temperature Display

3.4 OUTPUTS

The OS3700 has two outputs that are useful for measurement processing - a digital output utilizing a mini-DIN connector, and an analog output, which uses a 1/8 inch phone plug.

The DIGITAL output may be configured in either of two ways during the set-up procedures found in Section 4. One configuration is for use with a serial printer; the other is for use with a computer (IBM or compatible).

PRINTER: In the printer (P) mode, the OS3700 can operate an RS-232 (serial) line printer at 2400 baud. Units are shipped with this mode selected. The baud rate is fixed.

DATALOGGER (Computer): When in the datalogger (L) mode, the OS3700 continuously sends data to its serial port, provided the instrument is in the CONTINUOUS operating mode. If the datalogging computer is used in the MOMENTARY operating mode, the OS3700 will • send only the initial reading. Additional data will not be sent unless another READ/HOLD sequence is initiated (by pressing and releasing the READ/HOLD button), or the display mode is changed (by pressing the MODE button).

The ANALOG output of the OS3700 is designed to interface with an analog data logger, chart recorder, remote indicator, or multimeter. The output impedance is 100 ohms.

WARNING: Do not apply power to the analog output, or you may damage the instrument. Do not short the output or apply less than 10,000 ohm load.

The analog output may be set in either of two ways during the set-up procedures found in Section 4.

- a. The output can be set for 1 millivolt per degree F or C, corresponding to the display set-up.
- b. The output can be set for 0 to 1 volt full scale, often used for chart recorders.

SECTION 4 SETTING UP THE OS3700

4.1. ENTERING THE SET-UP MODE

To enter the set-up mode, hold both the UP and DOWN arrows while the OS3700 is turned on. Releasing the arrows after power-on will enable the set-up mode display (see Figure 4-1).



Figure 4.1 Set-up Mode Display

This mode allows the following choices to be made:

Printer Mode (P) or Logger Mode (LH or LL), (LH = single reading, LL = continuous logging)

mv/deg (1) or 0-1 volt (0)

Degrees F (F) or Degrees C (C)

The current status will be displayed on the main LCD display. If no changes are needed, turn the unit off to exit the set-up mode. If changes are needed, use the procedures in Sections 4.2 through 4.5.

4.2 SELECTING (F) OR (C)

F or C will flash on the LCD, depending on which one is selected. Pressing READ/HOLD will change the F to a C, or vice versa. Once the desired selection is on the display, pressing the MODE button will move the cursor to the next selection.

4.3 SELECTING (P), (LH), or (LL)

After the MODE button is pressed from selecting F/C, "P, LH, or LL" will flash on the LCD, depending on which is selected. Press the READ/HOLD button until the desired choice is flashing. If you are in the printer mode, select the interval as described below. If you are using the logger modes, press the MODE button to move the cursor to the next selection.

4.4 SELECTING THE INTERVAL

When using the OS3700 with a printer, the printing interval is selectable on the OS3700. To select the interval, use the UP and DOWN arrows. The interval is selectable from 5 to 195 seconds, in 5-second steps. The interval selection only applies to the printer mode. Attempting to change the interval in either logging mode will automatically put the OS3700 into the printer mode. The interval selection for the logging mode is done on the logging device, not the OS3700. Once the correct interval is selected, press the MODE button once to move the cursor to the next selection.

NOTE: Attempting to select the interval (pressing the UP or DOWN arrow) at any point in the set-up mode will automatically move the cursor to the Printer/Logger position and place the OS3700 in the printer mode.

4.5 SELECTING (1) OR (0)

The 1 or 0 will flash after the selection of P/L. Pressing the READ/HOLD button will change 1 to 0 and vice versa. Pressing the MODE button will move the cursor back to F/C. The selection process should now be complete.

If the selection is not complete, or additional changes are to be made, pressing the MODE button will scroll the flashing cursor through the selections. If selection is complete, the set-up is stored by turning off the OS3700.

SECTION 5 OPERATING PROCEDURES

5.1 CONTINUOUS MODE

The Continuous mode is entered by pressing the ON/OFF button once. The LCD will go through a self-test procedure (Figure 5-1). The OS3700 will also check the digital interface for any connected devices. The unit will be ready to operate within 8 seconds. (If the low battery indicator comes on, recharge the batteries before continuing use, or run OS3700 with charger.) The LCD will then indicate RUN and the first reading will be displayed. To turn the unit off in the Continuous mode, press the ON/OFF button once.




Figure 5-1. LCD Self-Test

5.2 MOMENTARY MODE

The Momentary mode is entered by pressing and holding the READ/HOLD button when the unit is off, while sighting in the target. The unit will turn on, but some units will not go through the display test. (If low battery indicator comes on, recharge batteries before continuing use, or run OS3700 with charger.) The OS3700 will take a reading within one second, display the reading, and check the digital output. Releasing the READ/HOLD button will hold the reading. Once in the momentary mode, every time the READ/HOLD button is depressed, the OS3700 will take a new reading. When the button is released, it will hold the new reading. If no button is pressed for 30 seconds, the OS3700 will turn itself off to conserve power. Every time a button is pressed, the 30 second timer will reset. The OS3700 may be turned off before the 30 seconds by pressing the ON/OFF button twice.

NOTE: In both the Continuous and the Momentary modes, if the reading is not in the OS3700's range, the display will show "LO" for under range, and "HI" for over range. See Figure 5-2.



A. Under Range Display



B. Over Range Display

Figure 5-2. LO and HI Displays

5.3 SETTING THE EMISSIVITY

The emissivity value displayed on the rear LCD is the value used by the OS3700's microprocessor to perform its calculations. To change the emissivity value so it matches the target, the following steps should be taken:

 Press either the UP arrow or the DOWN arrow, depending on whether the value must be increased or decreased. Holding either arrow for longer than three seconds will begin rapid increment or decrement.

- 2. When the arrows are released, and the user is no longer changing the emissivity, the "e" on the left side of the display will flash, indicating that the displayed value has not been saved. To save the value, press the READ/HOLD button once. The "e" will stop flashing. The saved value will be retained after the power is turned off, and will be used and displayed on the next power-up.
- The OS3700's microprocessor will always use the displayed value, even if it is not saved ("e" continues flashing). However, if the OS3700 is turned off before the value is saved, and then turned on, the old emissivity value will be used and displayed.




Figure 5-3. Emissivity Controls and Indicator

5.4 OS3721/OS3722 TWO-COLOR MODELS

The OS3721 and OS3722 models use the two-color principle for determining target temperature. Two-color pyrometry measures temperature by processing the ratio of two levels of infrared radiation at nearby wavelengths. The spectral bands for these units are 0.78 to 1.06 microns and 0.9 to 1.06 microns. Since the instrument measures the ratio of energies, and not the absolute value of the energy reaching the detector (as in single-color instruments such as the OS3708), the OS3721/OS3722 is virtually unaffected by errors due to emissivity or a partially obstructed field of view.

For the measurement to be accurate, though, the target material must act as a greybody. This means that the ratio of emissivities for the two spectral bands follows the blackbody radiation laws. Many materials are very close to greybody, but need a slight adjustment of the ratio to correct for any differences. The OS3721/OS3722 provides an easy method of adjusting the ratio, called Slope adjustment.

Slope Adjustment - To adjust the slope (the ratio of emissivities of the two spectral bands), use the UP and DOWN buttons on the right side of the display. The slope setting is displayed in the same place on the display as the emissivity setting for the single color units. When the slope is changed, the temperature display of the OS3721/OS3722 will display the slope, so the resolution of .001 can be obtained. Once the slope is no longer being changed, the display will return to temperature, and the new slope setting will be displayed as "e=x.xx". The "e" will continue to flash until the new slope setting is saved by pressing the READ/HOLD button on the top of the unit.

Determining Slope - To determine the proper slope setting for materials that are not greybodies, heat the material to a known temperature and then adjust the slope until the unit reads the expected temperature. This slope setting should be used any time this material is to be measured.

5.5 FOCUSING THE OS3700

The eye piece should first be focused to obtain a sharp image of the reticle in the view finder. The lens should then be adjusted to get a sharp image of the target.

NOTE: The distance markings on the lens are only approximate. Focusing should be done by eye. The target must be equal to, or larger than, the defined field of view (fill the reticle), or errors will be introduced. The field of view specification of this instrument will be met when the unit is in focus. Accurate readings will be obtained from objects that are not in focus as long as they fill the reticle. When exceptionally long distances are involved, errors may be introduced due to atmospheric absorption. Section 6.6 provides details on target size versus distance.

TABLE 5-1 FIELD OF VIEW

FIELD OF VIEW X:1

	20	40	60	90	120	180	300
DISTANCE (CM) Mi	inimum f	ocusable	target s	izes in c	entimete	ers ,
17.8 CF1+CF	2		0.34			0.18	0.13
21.5 CF2			0.4			0.13	0.13
35.5 CF1			0.63			0.21	0.16
50	2.50	1.25	0.83	0.56	0.42	0.28	0.17
100	5.00	2.50	1.67	1.11	0.83	0.56	0.33
200	10.00	5.00	3.33	2.22	1.67	1.11	0.67
300	15.00	7.50	5.00	3.33	2.50	1.67	1.00
400	20.00	10.00	6.67	4.44	3.33	2.22	1.33
500	25.00	12.50	8.33	5.56	4.17	2.78	1.67
600	30.00	15.00	10.00	6.67	5.00	3.33	2.00
700	35.00	17.50	11.67	7.78	5.83	3.89	2.33
800	40.00	20.00	13.33	8.89	6.67	4.44	2.67
900	45.00	22.50	15.00	10.00	7.50	5.00	3.00
1000	50.00	25.00	16.67	11.11	8.33	5.56	3.33
2000	100.00	50.00	33.33	22.22	16.67	11.11	6.67
3000	150.00	75.00	50.00	33.33	25.00	16.67	10.00

NOTES:

- 1. CF1 and CF2 are close focus lenses that are attached to front of lens barrel.
- 2. Multiply the emissivity according to the following ∞ rrection factor:

Lens Part No.	Correction Factor	
OS3700-CF1 OS3700-CF2	0.96 0.96	
BOTH ABOVE	0.92	

5.6 NEUTRAL DENSITY FILTER

OS3700 units which measure very high temperatures have a neutral density filter built in. To move this filter into the visible path, turn the lever on the bottom of the OS3700 case. See Figure 5-4.




Figure 5-4. Location of Filter Knob

5.7 RUN AND HOLD STATES

RUN: When RUN is displayed, the OS3700 is taking readings every 0.5 seconds (every second for some models) and updating the display at this rate. This allows the user to scan or monitor a process. When using the special display modes in the RUN state, they will be continuously updated as the OS3700 takes new readings.

HOLD: When HOLD is displayed, the OS3700 freezes the last reading before the HOLD state was entered. The display is not updated with new readings as long as the OS3700 remains in this condition. The HOLD function is used to process readings individually, or in small "packets".

When using the special display modes in the HOLD state, the values contained in their registers will be frozen for as long as the HOLD state is maintained. Once the HOLD state is exited (by pressing READ/HOLD button), the registers will be cleared. This allows data to be taken and analyzed in small "packets" readings are taken, HOLD state entered, AVERAGE, PEAK, and VALLEY analyzed, then registers are cleared when the HOLD state is exited, and the cycle begins again.

CONTINUOUS MODE- RUN is entered automatically when the unit is turned on. To enter the HOLD state, press the READ/HOLD button once. To exit HOLD and return to RUN, press the READ/HOLD button again.

MOMENTARY MODE- RUN state exists as long as the READ/HOLD button is depressed. Once the READ/HOLD button is released, the OS3700 will automatically enter the HOLD state, and remain in this condition until READ/HOLD is pressed again, or the timer turns the unit off.

5.8 SPECIAL DISPLAY MODES

The OS3700 provides data capture modes which enable the user to easily resolve temperature fluctuations in a process. These special display modes, AVERAGE, PEAK, and VALLEY, may be entered and used in either the RUN or the HOLD states (explained above). AVERAGE, PEAK, and VALLEY should be used in the CONTINUOUS mode, since they are not practical for the single readings taken in the MOMENTARY mode.

AVERAGE: AVERAGE provides a means of reducing the fluctuations in a reading caused by variations in the target temperature or emissivity. A buffer memory is continuously updated with the six most recent measurements. These six readings are averaged together.

AVERAGE increases the resolution of the instrument by reducing any noise inherent in the infrared detection process. The AVERAGE reading will "lag" the process (see Figure 5-6).

To enter the AVERAGE mode, press the MODE button until "AVG" is displayed on the right side of the LCD display.




Figure 5-6. AVERAGE Reading Lag

PEAK stores and displays the highest reading since the power was turned on, or since the last RUN/HOLD sequence. If a process is being monitored, PEAK will store the highest temperature detected by the OS3700. If an object is being scanned, such as a wall or a slab of steel, PEAK will hold the highest reading. To enter PEAK, press the MODE button until "PEAK" is displayed on the right side of the LCD display.

VALLEY represents the lowest reading since power on or a RUN/HOLD sequence. If the instrument was turned on and it was not viewing the target, then VALLEY will display either under range ("LO"), or a non-meaningful reading. In this case, it would be important to sight the target and sequence the unit through a HOLD and RUN cycle to reset the memory.

To enter the VALLEY mode, press the MODE button until "VALLEY" is displayed on the LCD display.




Figure 5-7. PEAK and VALLEY of Temperature Fluctuations

5.9 USING THE PRINTER

When using OMEGA's printer with the OS3700, it must be connected (using the cable included with the printer) and turned on prior to turning on the OS3700. The OS3700 must be in the printer (P) mode. The OS3700 will check the serial port for a "ready" signal. If no "ready" signal is found within 5 seconds, the OS3700 will no longer check, or transmit to, the serial port.

In the CONTINUOUS mode, if a "ready" signal is found, the OS3700 will send "OMEGA OS3700 SERIES" and then the first reading. It will then print new readings at the specified interval, although the display is continuously updated. When the display mode is changed during operation (see Section 5.7), the OS3700 will immediately print the new mode and the reading and then resume the interval rate.

In the MOMENTARY mode, if a "ready" signal is found after the first reading is displayed, the OS3700 will print only that first reading. If no buttons are pressed, it will not print again. Every time READ/HOLD is pressed and released, the OS3700 will take and print out a new reading. This allows the user to take "snap shot" temperature measurements: Aim at the target, press and release READ/HOLD, OS3700 prints out reading; aim at new target, etc. The OS3700 will also print out every time the display mode is changed (by pressing the MODE button).

NOTE: If a printer other than the OMEGA printer is used, refer to Section 9 for the communication format and pin-outs on the Serial Interface Cable.

5.10 USING A COMPUTER AS A DATALOGGER

The computer to which the OS3700 is interfaced must have an RS-232 serial port. The data logging software supplied must be installed on an IBM AT or XT compatible personal computer. The OS3700 must be in one of the logging conditions described below (LH or LL). Connect the OS3700 digital output to the computer's serial input with the Serial Interface Cable supplied.

Section 9 describes the digital output format and cable wiring. Appendix B contains the instructions for installation and use of the OS3700 communications software.

5.11. LOGGING MODES

The OS3700 has two different logging modes: LL and LH. Either mode may be used with the computer or the data logger. The LH mode is a single-shot mode. When the READ/HOLD button is pressed, the OS3700 will transmit the reading, then go into the HOLD mode, with the reading flashing to indicate HOLD mode. Before taking another reading, press the READ/HOLD button again. The OS3700 will go back to the RUN state. When you have a reading that you want, press READ/HOLD, and the process starts again.

The LL mode is a continuous logging mode. The OS3700 transmits readings as fast as it takes them. The reading interval of the logging device may be changed to a rate that is appropriate. To change the interval when using a computer, refer to the software instructions in Appendix B. To change the interval when using the OS3700-DL, refer to the instructions for that unit.

5.12 CLOSE-FOCUS OPTION OF THE OS3707, OS3708, OS3709, OS3721, OS3722

Using the two-lens close-focus combination, the OS3700 can be focused from 21" to 7.5", depending on which combination of lenses is used. The lenses simply screw to the front of the existing OS3700 lens, and are stackable by screwing one on top of the other. The emissivity setting on the OS3700 must be changed according to the chart below to maintain its accuracy. The chart shows the focus range for each lens, used alone and in combination, and the required emissivity setting, assuming the emissivity setting would be 1.00 without the close-focus attachment.

NOTE: If the emissivity required for your application is other than 1.00, that number should be multiplied by the value from the table to obtain the correct setting for the OS3700.

MODEL	FOCUS RANGE	EMISSIVITY
OS3700-CF1	21" to 14"	0.96
OS3700-CF2	13" to 8.5"	0.96
BOTH	9.5" to 7.5"	0.92

SECTION 6 SPECIAL MEASUREMENT CONSIDERATIONS

6.1 EMISSIVITY

The accuracy of the reading of all monochromatic (single color) infrared thermometers is influenced by the emissivity of the target and the size of the object being measured. The emissivity is a function of the material, the material surface finish, the geometry of the object, and the wavelength at which the measurement is being taken. The emissivity of a material may be determined by measuring its surface temperature with a thermocouple thermometer, and then by aiming an infrared thermometer at the object, and adjusting the emissivity control to give an equal reading.

Emissivity may also be determined by painting a small area of the material to be measured with flat black paint, heating the object above ambient, and measuring its temperature with the OS3700's emissivity set to 1.00. The unpainted portion of the object is then measured and the emissivity adjusted to obtain the same reading. The emissivity value displayed should be recorded for future reference.

6.2 WINDOWS

If there is any material between the infrared thermometer and the object being measured, it can attenuate or block the infrared radiation being emitted.

Windows that transmit visible light, such as glass and quartz, will also transmit some infrared energy in the 0.7 to 2.0 micron band, enabling both the OS3707 and OS3708 spectrum instruments to take readings. The accuracy of the reading, however, will be affected. Attenuation of energy by a window may be compensated for by using the emissivity control. If, for example, the target has an emissivity of 0.5, and the window has a transmission of 90% (0.9), the emissivity control can be set for $0.5 \times 0.9 = 0.45$.

Should it be necessary for certain processes such as vacuum chambers or furnaces to have a window, Table 6-1 suggests some materials that may be used for different spectral bands.

Long wavelength infrared used for the 8-14 micron spectrum units does not pass through most visible windows without significant energy and spectral effects. These units may look through thin polyethylene plastic films, 1-3 mils thick. Materials such as KRS-5 and ZnSe will transmit both visible and long wavelength IR, and may be necessary in certain applications. Table 6-1 shows a table of window materials and the OS3700 models that may be used with each. Consult OMEGA if you need specific information.

TABLE 6-1
TABLE OF WINDOW MATERIALS

MATERIAL	CONSISTENT WITH SPECTRAL RESPONSE CODE
Pyrex Quartz Sapphire Calcium	OS3707, 3708 OS3707, 3708, 3721, 3722 OS3704, 3706, 3721, 3722
Fluoride Coated Zinc	OS3706, 3703
Selenide	OS3701

6.3 REFLECTIONS

A reflective object will emit its own infrared radiation, as well as reflect any IR sources that surround it. Should there be bright lights or radiant heaters surrounding a reflective target, the OS3700 will read the total radiation. Errors in the reading can occur if the user does not take care to avoid these effects. Readings taken out of doors in bright sunlight will cause large errors in the OS3707, OS3708, and OS3709 models. Incandescent and fluorescent lights indoors will generate errors on the model at lower temperatures (250 to 400°C).

6.4 FIELD OF VIEW

The specified Field of View of the OS3700 occurs when the lens is focused for the object distance. The Field of View is specified to collect 98% of the target energy at the rated distance and target size.

For example, the OS3708 model is rated as 180:1. This means that the **minimum** target size can be the sensorto-target distance divided by 180. So at 0.75 meter (29.5 in.) for example, the **minimum** target size would be 0.75/180 or .0042 meter (0.42 cm or 0.164 in.). The beam must have an unobstructed view of the target to get accurate measurements.

If the target is cooler than the background, be certain that it is larger than the minimum diameter. It is possible for energy from a very hot background to contribute significant stray radiation.

6.5 AMBIENT EFFECTS

The components in an infrared thermometer are designed to operate over a temperature of 0 to 50°C. The detector sensitivity is a function of temperature, and is compensated. Instruments which measure within the ambient temperature range (8-14 microns spectra) are also affected by secondary effects such as the lens and instrument temperature. Although the instrument is compensated, rapid changes in its ambient temperature will introduce errors. Ambient changes should not exceed 3°C per minute for the OS3701 and OS3703 versions.

6.6 DISTANCE EFFECTS

The OS3700 should be focused for the operating distance to insure accurate measurements. If the OS3700 is used at closer distances than it is focused for, the reading may be slightly higher than the actual temperature. Conversely, if the OS3700 is used at a distance that is longer than that for which it is focused, the reading may be slightly lower that the actual temperature.

SECTION 7 MAINTENANCE

GENERAL NOTE: Care should be taken to prevent liquids from coming into contact with the OS3700, as with all electrical equipment. The OS3700 should also be protected from extremes of temperature. Due to the critical optical alignment, the OS3700 should also be protected from heavy shocks.

7.1 CLEANING THE OPTICS

The lens of the OS3700 must be kept free from dust, fingerprints, and other obstructions, or the accuracy may be affected. The dust cap provided should be used when the unit is not in use. The lens may be cleaned with alcohol or optical cleaning solution, and optical tissue. Dry tissue should not be used, as this will scratch the lens coating.

7.2 CLEANING THE HOUSING

The housing of the OS3700 is plastic, and as such, should never be cleaned with acetone or other harmful cleaning agents. Safe cleaning of the housing may be done with alcohol or a damp, soapy cloth.

7.3 CHANGING THE BATTERIES

The six rechargeable, type AA batteries used in the OS3700 have a life of approximately 1000 recharge cycles, after which they will need to be replaced. To replace the batteries, loosen the two screws in the battery door on the front of the OS3700 (see Figure 7-1).




Figure 7-1. Battery Door

Carefully slide out the battery holder by pulling on the pull-tab. Lift out the old batteries, and install new rechargeable batteries according to the polarities marked on the holder. Slide the battery holder back in, and replace the door (see Figure 7-2).

TOP VIEW




Figure 7-2. Battery Holder

7.4 CHARGING THE BATTERIES

The OS3700 batteries charge automatically when the 12 volt power supply is plugged in, even if the OS3700 is operating. The batteries should, however, be allowed to fully discharge before recharging, as overcharging NiCad batteries rapidly deteriorates their chargeretention qualities.

7.5 CHECKING CALIBRATION

To check the calibration of the OS3700, a blackbody calibration source should be used. The following steps should then be taken:

- 1. Mount the OS3700 on a tripod to ensure proper alignment (aiming by hand may alter the results).
- 2. Allow the instrument to stabilize for 1/2 hour (no substantial ambient changes).
 3. Set the emissivity on the OS3700 to 1.00.
- 4. Aim the OS3700 at a target which is at least twice the size of the minimum target (figured from field of view), at a distance of 1.5 meters. The source should have an emissivity of almost unity (use flat black paint on the target if necessary). The source temperature should be the low temperature given in Table 7-1 for your OS3700 model. Check that the OS3700's reading matches the source temperature, within the defined accuracy specification.

5. Aim the OS3700 at the next higher temperature from the table. When the source is stable, check to see that the OS3700's reading matches the source temperature. If the table suggests an additional test temperature, repeat step 5 for the new temperature.

TABLE 7-1 CALIBRATION TEST TEMPERATURES

MODEL	SOUF	RCE TEMPERAT	URE (°C)
OS3708	780	1260	1700
OS3707	375	695	1060
OS3701	100	580	
OS3709	1100	1500	2000
OS3703	200	300	
OS3704	400	1020	
OS3706	500	1060	
OS3721	900	1500	
OS3722	1100	1500	

If after checking calibration, it is determined that the unit is out of calibration, it will have to be returned to OMEGA for recalibration.

SECTION 8 TROUBLESHOOTING

SYMPTOM

SOLUTION

Unit does not turn on / Low battery indicator displayed

Charge batteries or use unit with charger

plugged in.

Batteries do not hold

charge

Replace rechargeable

batteries.

Some segments of either digital readout do not

come on

Return to OMEGA.

Reads low

Check emissivity value. Check target distance. Check minimum target

size.

Check that lens is clean

Reads high Check emissivity value.

Check target distance.
Check for stray
radiation nearby.
Check background

temperature.

Reticle image not

sharp

Adjust eye piece. (See Section 5.5)

Digital output not

working

Read set-up procedures,

and Sections 5.8, 5.9. Check cabling scheme.

Display shows "EEEE" in AVE, PEAK, or VALLEY modes.

Not enough data, or invalid data in

register(s).

TROUBLESHOOTING (Continued)

Display shows "LO"

Target temperature below beginning of temperature range for that OS3700 model.

Check target emissivity. Check target distance. Check minimum target

size.

Display shows "HI"

Target temperature above end of temperature range.
Check target distance.
Check emissivity value.
Check for stray
radiation.

Check background

temperature.

SECTION 9 SPECIFICATIONS

9.1 GENERAL SPECIFICATIONS

FOCUSING:

21" to 7.5"

VIEWFINDER:

9° sighting, eye piece adjustable, illuminated temperature display in

viewfinder

OPERATING MODES:

Run, Peak, Valley, Average,

Hold

RESOLUTION:

1° for all models

EMISSIVITY RANGE:

0.1 to 1.00 in 0.01 steps,

digitally set

RESPONSE TIME:

2 readings per second; 1 per

second on some units

DIGITAL OUTPUT:

RS-232, 2400 baud, to printer or computer, mini DIN connector

ANALOG OUTPUT:

1 mv/°C, 1 mv/°F or

0-1 volt, externally selectable, 1/8 in. phone plug, output impedance 100 ohms

AMBIENT OPERATING

TEMPERATURE:

32 to 122°F (0 to 50°C) 0 to 90% RH non-condensing

STORAGE

TEMPERATURE:

-5 to 150°F

(-20 to 65°C)

BATTERY TYPE:

Rechargeable Ni-Cad, type AA

12 Vdc at 200 mA

BATTERY CHARGE

LIFE:

8 to 16 hours, depending

on model

WEIGHT:

2.5 lbs (1.1 kg) with lens and

batteries

MOUNTING:

Built-in tripod socket

1/4-20 tapped hole

OS3700-DL DATALOGGER SPECIFICATIONS

5200 readings, temperature °C/°F, date, time, battery condition **MEMORY CAPACITY:**

DISPLAY: 2-line LCD, 16 alphanumeric

characters

SAMPLING INTERVAL: Continuous to 999 seconds in 1

second intervals

LOG MODE: Manual or Automatic. In Manual mode, data is logged only when

the Read button is pressed

SOFTWARE: Supplied for IBM PC or

compatible (data file compatible

with Lotus 1-2-3[®])

INPUT: RS-232C from OS3700 unit

OUTPUT: RS-232C to computer (3.5'

cable supplied)

BATTERY TYPE: Four rechargeable NiCad AA, 8

continuous hours life (included)

BATTERY CHARGER: 115 VAC input, 12 VDC output

at 200 mA

OPERATING

TEMPERATURE:

0.14 to 140°F

(-10 to 60°C)

DIMENSIONS:

7.1"H x 3.9"W x 1.4"D

 $(180 \times 100 \times 35 \text{ mm})$

OS3700-PRT PRINTER

PAPER:

2.25" (70mm) wide

MECHANISM:

Impact dot matrix

INPUT:

RS-232, 2400 baud, Clear to

Send (CTS) from OS3700

FORMAT:

24 column (measurement mode

and temperature)

OS3700-PRT SPECIFICATIONS (Cont'd)

CONTROL:

Off/On/Paper Feed

OPERATING TEMPERATURE:

32 to 122°F (0 to 50°C)

POWER:

115 VAC converter supplied, 8

VAC output

DIMENSIONS:

4.5"H x 4"W x 2"D (114 x 100 x 51 mm)

WEIGHT:

1 lb (450 g)

9.2 STANDARD ACCESSORIES

PART NO. **DESCRIPTION**

OS3700-DL **OS3700-PRT** OS3700-PRT-RP Digital datalogger (110 VAC) Digital printer (110 VAC) Five rolls replacement printer

paper

OS3700-CF1*

Close focus lens attachment for working distance of 21" to 14" Close focus lens attachment for

OS3700-CF2*

working distance of 13" to 8.5"

^{*}May be used only with OS3707, OS3708, OS3709, OS3721, and OS3722. When both close focus attachments are used together, working distance is 9.5 to 7.5 inches.

9.3 DIGITAL INTERFACE SPECIFICATIONS

The OS3700 is capable of generating a 2400 Baud, RS-232 signal. The format is one start bit, eight data bits and two stop bits.

The data may be transmitted in the printer mode (P), in which case the ASCII code will be printed as transmitted, and formatted for the printer.

In the datalogging mode (L), the data is coded for storage by the program supplied with the OS3700. The program operates on MS-DOS compatible computers. The format of the data is:

,S D4 D3 D2 D1 X B

Where: X = C for °C, F for °F S = - for Negative, Space for Positive DP = Decimal Point or Space B = B for Low Battery, Space for Batt.

Under range ,LLLLLLL ,HHHHHHHH DDDDDD, Over range Invalid Data

The Serial Interface Cable supplied with this instrument is a 5-pin mini-DIN connector, 10 foot long coil cord, terminated in a 25-pin female D connector, and is configured to be RS-232C compatible. Wiring is as follows:

Color	DB-25F pin	Signal Name	Direction
Shield Blue Red Brown Yellow Orange	Shell 1 2 3 7 20	Shield Protective Ground Transmit Data Receive Data Signal Ground Data Term Ready	Common To OS3700 From OS3700 Common To OS3700 •

DTR is used in printer mode only. Transmit Data is not currently in use.

APPENDIX A TEMPERATURE ERRORS CAUSED BY A 1% EMISSIVITY ERROR

The magnitude of temperature error created by a given emissivity uncertainty depends on the spectral range of the infrared thermometer, and the temperature of the target. The error table shows temperature errors caused by a 1% emissivity error, for different spectral bands at different target temperatures. The error is given in degrees Celsius.

<u>O\$-</u>	3709	3722	3708 3721 3707	3706	3704	3703	3701 3702
SPECTRAL RESPONSE (μm)	0.65	0.78 to 1.06	1.0 to 1.6	3.86	4.8 to 5.2	7.9	8 to 14
TARGET TEM	P. (°C)			ERR	ORS (°	C)	
50.0 40.0 30.0 -20.0 -10.0 10.0 20.0 30.0 40.0 50.0 60.0 70.0 80.0 90.0 120.0 140.0 160.0 180.0 200.0 220.0 240.0 240.0 240.0 300.0		0.3 0.3 0.4 0.4 0.4	0.9 0.2 0.2 0.2 0.3 0.3 0.3 0.3 0.4 0.4 0.5 0.5 0.5 0.6	0.1 0.2 0.3 0.3 0.3 0.4 0.5 0.6 0.7 0.8 0.9 0.9 0.1 1.1 1.2 1.3 1.4 1.5	0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1.0 1.1 1.3 1.4 1.5 1.7 1.8 1.9	1.8 1.3 1.0 0.7 0.3 0.0 0.1 0.2 0.3 0.4 0.5 0.6 0.9 1.1 1.2 1.3 1.4 1.5 1.6 1.9 2.1 2.2 2.2 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3	1.3 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0

TEMPERATURE ERRORS CAUSED BY 1% EMISSIVITY ERROR

OS-	3709	3708 3721 3722	3707	3706	3704 370	3701 3 3702
SPECTRAL RESPONSE (µm)	0.65	0.78 to 1.06	1.0 to 1.6	3.86	4.8 to 5.2 7.9	
500.0 550.0 600.0 650.0 700.0 750.0 800.0 850.0 900.0 950.0 1000.0 1100.0 1200.0 1300.0 1400.0 1500.0 1600.0 1700.0 1800.0 1900.0 2200.0 2300.0 2400.0 2500.0 2500.0 2600.0 2700.0 2800.0 2900.0 3000.0	0.5 0.6 0.7 0.7 0.0 1.1 1.3 1.4 1.8 1.9 1.2 2.5 2.8 3.0 2.3 3.7 4.0 4.5 4.8	0.4 0.5 0.6 0.6 0.7 0.8 0.9 0.1 1.1 1.6 1.8 0.3 1.8 0.3 1.8 0.3 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8	0.6 0.7 0.8 0.9 0.1 1.2 1.3 1.4 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	1.6 1.8 2.23 2.5 2.8 3.3 3.5 3.5 4.1 7.4 4.0 7.7 1.2.0 1.2.7 1.2.7 1.3.6 1.4.2 1.5.1 1.6.9 1.7 1.6.9 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7	2.0 2.9 2.3 3.2 2.5 3.6 2.8 4.0 3.1 4.3 3.4 4.7 3.7 5.1 4.7 6.3 5.7 6.4 8.7 2 9.7 7.9 10. 8.7 11.1 10.3 12.1 11.1 13. 12.0 14.5 12.8 15. 13.6 16. 14.5 17. 15.3 19. 17.1 20. 18.0 21. 18.0 21. 18.0 21. 18.0 21. 18.9 23. 20.7 24. 21.6 24.	2. 3.7 4.1 5.9 7.1 5.9 7.1 5.9 7.4 2.1 10.0 11.9 13.7 6.5 14.6 5.5 17.4 2.1 10.0 19.8 7 14.6 5.5 17.4 3.3 19.3 2.2 2.2 1.1 22.1 1.0 10.0 10.0 10.0 10.0 10.0 10.0 10.

TEMPERATURE ERROR IN 2-COLOR MODELS (When emissivity of one wavelength is 1% different from the other wavelength)

TEMPERATURE (°F)	ERROR (°F)
1300 1500 1700 1900 2100 2300 2500 3000 3500 4000	16 19 23 27 32 39 46 135 177 225 349 490
3000 3500 4000	177 225

APPENDIX B OS3700 LOGGING SOFTWARE INSTRUCTIONS

SOFTWARE INSTALLATION:

Software must be installed on an IBM computer or an IBM compatible.

Turn the computer on and boot as usual.

Hard Disk Operation

Make a backup copy of the distribution disk, and store the original in a safe place. Refer to DOS DISKCOPY command in the DOS Reference Manual for more on this operation.

We will assume the hard disk is called C:

Create a subdirectory on C: called \OS3700, and move into it.

md\OS3700 <ENTER> cd\OS3700 <ENTER>

Insert the distribution disk in drive A: and copy the contents of the disk to the new directory.

copy a:*.* c: <ENTER>

To run the program, type: OS3700 <ENTER>

Floppy Disk Operation

Make a working copy of the distribution disk and store the original in a safe place. Refer to DOS DISKCOPY command in the DOS reference manual for more on this operation.

HARDWARE INSTALLATION

Make sure the OS3700 is in Logger Mode LL, before using the communication software. See Set-Up procedure in Section 4.

Connect the round end of the Serial Interface Cable to the OS3700 Digital Output. Connect the modular plug end of the Serial Interface Cable to the RJ-11 to DB-25 adapter. Connect the adapter to the serial port (COM:1) of IBM PC, XT, or compatible computer. If you are using an IBM AT or other computer which uses a DB-9 connector for its serial port, you must use an adapter cable to remap the DB-9 pins into the standard DB-25 configuration. One such cable is available from IBM or from local computer dealers. Apply power to the OS3700 using batteries or the AC adapter.

SOFTWARE OPERATION

To start the program, type: OS3700 <ENTER>

DISPLAY:

LOGGING STATUS may be either ON or OFF. Logging only takes place when the logging status is ON. When LOGGING is turned OFF again, the log file will be stored.

LOG FILE NAME is the name of the current file to which data is logged. When LOGGING is turned on, the log file will be opened (or appended) and logging will begin. Although logging is normally done to a disk file, it is possible to log data to a parallel printer by setting the log file name to LPT1:. This refers to the first parallel printer interface on the computer.

NOTE: If data is logged to the printer, it will not be stored on the disk.

APPEND refers to a Yes or No flag associated with the current log file. If the Append flag is Y, new data is added (appended) to the end of the current log file. If Append flag is N, then any file with the same name as the current log file is overwritten when logging begins. NOTE: All data in the current FILENAME will be lost if logging takes place with the APPEND option set to N.

INTERVAL refers to the time interval between measurements, in seconds.

LOG FORMAT is the current specification of the output format. See definition of output format.

TEMPERATURE shows the current temperature reading being measured with the OS3700.

COMMAND KEYS:

L - Data LOGGING (ON/OFF)

To start or stop logging temperature data, use the L command key. If logging is off and the L key is pressed, the computer will ask for the ambient temperature and the current emissivity setting.

NOTE: The ambient temperature and emissivity settings entered should be as accurate as possible so errors will not be introduced if the emissivity is changed with the OS3700 software.

Once these two items are entered, the program will begin logging data. If logging is on and the L key is pressed, the program will stop logging, and store the log file. When LOGGING is ON, data is saved at the current time INTERVAL, and to the current FILE NAME.

F - Enter LOG NAME (5 or more characters)

To change the name of the current log file, use the F command key. A window will appear on the screen, prompting for a new file name.

NOTE: The log file name must be more than five (5) characters long.

Once the file name is set, subsequent logging is done to that file. The log file name cannot be changed while logging is on; you must first discontinue logging, change the file name, and then resume logging to the new file.

V - View/List LOG FILE

When the V key is pressed, the screen will change from the main menu screen to a blank screen. The computer will ask if you wish to view (V) or list (L) files. The view option allows you to see the data in any log file. If the V key is pressed, the computer will ask if you wish to view the current FILE NAME from the main menu. If you do, press Y for 'yes'. If you wish to view a different file, press N for 'no' and the computer will ask for a new file name. The List option lists the names of all the files in the OS3700 directory.

A - Set APPEND option (Y/N)

To change the APPEND setting of the current log file, use the A command key. A window will appear on the screen, prompting for a new value. The APPEND status flag determines what the computer will do when logging begins and a file with the same name as the current log file already exists. If APPEND is N, the old file is overwritten. The old data is destroyed, and a new empty file is created to take its place. Logging then starts over. If APPEND is Y, the old file is appended. The old data is retained, and new log data is added to the data already in the file. The APPEND flag cannot be changed while logging is on. You must first discontinue logging, change the APPEND setting, and then resume logging.

I - Set Measurement INTERVAL

To change the measurement INTERVAL, use the I command key. A window will appear, prompting for the new value. While LOGGING is ON, the computer records temperature measurements periodically. The INTERVAL between measurements is adjustable from 1 to 32,768 seconds. The INTERVAL may be changed while logging is on.

O - Set LOG FORMAT

To change the current output format, use the O command key. A dialogue box will appear on the screen, prompting for the new output format. By setting the output format, you choose what data to log, the sequence of the items, and how it should be punctuated. See Definition of Output Format.

DEFINITION OF OUTPUT FORMAT

It is very important that the data being logged is in a convenient format for what you are doing. If you want to import data to LOTUS 1-2-3 or another spreadsheet program to create graphs, you need a simple data format. If you have other applications, you may want a more elaborate data format. The output format is highly flexible. Choose the data items you need from the available list. Select the order in which you want them to appear, then insert spaces and other punctuation to make the output more readable.

The output format is composed from this list of data items:

Data Items

- N Measurement sequence NUMBER. A counter starts at 1, and is incremented by 1 for each measurement that is logged.
- H HOUR (Time of day). The time the measurement is taken, given in 24 hour notation, HH:MM:SS.
- M MEASUREMENT. The temperature reading for the current measurement.
- U UNIT (Degrees). Either °F or °C, depending on how the OS3700 is set.
- D DATE. Date the measurement is taken, given in MM/DD/YY notation.
- T TIME Elapsed. The number of seconds since the logging was started.
- F FLAGS. There are 4 flags used to indicate unusual conditions with the OS3700. They are BLHD. B: Low Battery, L: Under Range, H: Over Range, D: Data Invalid. If the condition is true, the corresponding letter appears in the output, otherwise, that position is blank. For example, "BL" means low battery and under range. Normally all 4 positions are blank.
- E EMISSIVITY. The current emissivity setting on the computer. See E command key.
- C COMMENT. Real-time comments entered while logging is on are placed at this position. See C command key. NOTE: If C is not present in the output format, no real-time comments will appear in the log, even if they are entered.

The capital letters N, H, M, U, D, T, F, E, and C are replaced with the corresponding data items they represent.

Any other characters in the output format, including a blank space and all lower case letters, are interpreted literally, and can be used to punctuate the data in the file.

The output format is formed by combining selected data items, in any order, with other characters for spacing and punctuation.

C - Enter COMMENT in Real Time

To enter a real-time comment, use the C command key. A window will appear on the screen, prompting for the comment. While logging is on, comments may be added to the logging output. Using comments to annotate the log file can be useful to indicate events occurring during a process or experiment. For example, "Fan #2 turned on" or "Pressure now 100 psi".

E - Change EMISSIVITY

This feature allows you to recalculate logged data for different emissivity values. This is helpful if you determine that your process emissivity is different than the emissivity setting on the OS3700, or if you want to see what the readings would be if the emissivity changed. This feature is also useful if the OS3700 is in a remote or inaccessible location and the targets have a variety of emissivities. The OS3700 can be set to one emissivity setting (e.g. -0.98) and the data corrected for the emissivity of each target material.

To change the emissivity setting of a logged file, press the E key. The screen will change from the main menu to a blank screen. The computer will ask for the OS3700 model type, the log file name (called the source file), the temperature unit (*C or *F), the ambient temperature of the OS3700 at the time of logging, the original emissivity setting, the new emissivity setting, and the name of the file to store the converted data.

The ambient temperature and the emissivity setting at the time of logging may be found by viewing the source file. They will be located in the header of the file.

The new data based on the new emissivity setting may be reviewed by viewing or printing the file that you entered as the storage file. NOTE: Files used to store converted data will not retain the output format that was used to originally log the data. Real-time comments and other options of the LOG FORMAT will not be found in the storage file. They will remain in the source file, provided that the new emissivity data is not saved to the source FILE NAME, but is written to a new file name (by specifying a different name for the storage file than the source file name).

P - PRINT Log File

Pressing P allows you to get a printout of your log file. The screen will go blank and the computer will ask if you want to print out the current LOG FILE NAME that is on the main menu. Press Y for 'yes' or N to print a different log file name. If you press N, the computer will ask for the name of the log file to print.

APPENDIX C TABLE OF EMISSIVITY OF VARIOUS SURFACES

Emissivity is a modifying factor used in single color thermometry to achieve a correct temperature reading. Emissivity, or radiating efficiency, of most materials is a function of surface condition, temperature, and wavelength of measurement.

Values for the total emissivity of various surfaces, as well as spectral emissivity at a given temperature, have been tabulated and are shown on the following pages. Total emissivity is defined as the resultant value when the individual emissivity factors are averaged over the total radiation spectrum being utilized.

For a particular application, a different emissivity setting than the one tabulated may be required. These tables, however, will provide the best initial setting. A more refined value should be determined experimentally.

References:

- 1) Handbook of Chemistry and Physics, Chemical Rubber Publishing Co., Cleveland, Ohio.
- 2) DMIC Report 177, Battelle Memorial Institute
- Thermal Radiation Properties Survey, Honeywell Research Center 1960

*When range of values for temperature and emissivity are given, end points correspond and linear interpolation of emissivity is acceptable.

MATERIAL	TEMPERATURE °C	* EMISSIVITY
Alloys		
20 Ni-25Cr-55Fe, oxidized	200	0.90
201.020010010, 000.000	500	0.97
60 Ni-12Cr - 28Fe, oxidized	270	0.89
••••	560	0.82
80 Ni-20Cr, oxidized	100	0.87
•	600	0.87
	1300	0.89
Aluminum		
Polished	100	0.095
Highly Polished	50-500	0.04-0.06
Unoxidized	25	0.022
	100	0.028
	500	0.060
Oxidized	200	0.11
	600	0.19
Commercial Sheet Anodized Sheet, Chromic	100	0.090
Acid Proc	100	0.55
Heavily Oxidized	93-504	0.2-0.31
Aluminum Oxide	500-827	0.42-0.26
Asbestos		
Board	20	0.96
Cement	0-200	0.96
Cloth	93	0.90
Paper	0-100	0.95
Asphalt	Ambient	0.90-0.98
Oil, on polished metal		
.001" Thick	Ambient	0.27
.002" Thick	Ambient	0.46
.005" Thick	Ambient	0.72
Bismuth, Unoxidized	25	0.048
	100	0.061
Brass		
Polished	200	0.03
Unoxidized	25	0.035
	100	0.035
Oxidized	200	0.61
Dallad Chan	600 20	0.59
Rolled Sheet	20	0.06
Brick	1000	0.450
Building	1000	0.450
Red, rough, no gross irregularities	20	0.930
Grog Brick, glazed	1100	0.750
Silica Brick	1000	0.80
F" D'1	1100	0.85
Fire Brick	1000	0.750

TOTAL EMISSIVITY OF VARIOUS SURFACES

MATERIAL	TEMPERATURE °C	• EMISSIVITY
Bronze, Polished	50	0.10
Carbon		
Filament	1000-1400	0.53
Graphite	0-3600	0.70-0.80
Lamp Black, water glass coating	20-400	0.96
Soot applied to solid	50-1000	0.96
Soot with water glass	20-200	0.96
Candle Soot	97-271	0.952
Graphite, pressed, filed surface	250-510	0.980
Unoxidized	25	0.81
	100	0.81
	500	0.81
Carborundum 87SiC; 2.3 density	1010-1400	0.920-0.820
Ceramic		
Earthenware	20	0.90
Porcelain, Glazed	20	0.92
Refractory Black	93	0.94
Refractory White	93	0.90
Chromium		
Polished	50	0.10
	500-1000	0.28-0.38
Unoxidized	100	0.08
Oxidized	316	0.08
	482	0.18
	650	0.27
	816	0.36
	982	0.66
Cobalt, Unoxidized	500	0.13
	1000	0.23
Columbium		
Polished	1500	0.19
	2000	0.24
Oxidized	816	0.73
	927	0.70
Concrete	0-100	0.94
Concrete Tiles	1000	0.630

MATERIAL	TEMPERATURE °C	* EMISSIVITY
Copper		
Commercial, Scoured to a shine	20	0.07
Calorized	100	0.26
Calorized, oxidized	200	0.18
-	600	0.19
Plate, heated long time, covered		0.70
with thick oxide layer	25	0.78
Plate, heated at 600°C	200-600	0.570
Cuprous Oxide	800-1100	0.66-0.54
Polished	50-100	0.0205
Oxidized	50	0.6-0.7
	200	0.60
	500	0.88
Unoxidized	100	0.02
	Liquid	0.15
Dow Metal	232-400	0.24-0.20
Enamel, White, fused on Iron	19	0.900
Glass		
Smooth	0-200	0.95
	250-1000	0.87-0.72
	1100-1500	0.70-0.67
Fused Quartz	320	0.75
Covex D Glass	320	0.76
Nonex Glass	320	0.82
Ругех	0-300	0.90
Gold		0.02
Pure, highly polished	100	0.02-0.03
Carefully Polished	200-600	0.02-0.03
Unoxidized	100	0.02
T	500 100	0.03
Enamel		0.70-0.80
Graphite	0-3600	0.70-0.80
Gypsum 0.02" thick on smooth or blackened plate	20	0.93
or biackened plate		
Human Skin	36-7-37.2	0.985
Inconel		0.000.0.000
Type X		0.550-0.780
Type B	450-1620	0.350-0.550
-78		

MATERIAL	TEMPERATURE °C	• EMISSIVITY
Iron		
Cast		0.640.70
Oxidized	200-600	0.64-0.78
Strongly Oxidized	40	0.95
Grongi, Ordanson	250	0.95
Unoxidized	100	0.21
Polished	200	0.210
Newly Turned	22	0.440
Turned and Heated	882-990	0.600-0.700
v t 13 % to antidinad	_	0.29
Liquid Unoxidized	25	0.65
Rusted	100	0.50
Wrought, Dull Wrought Iron, dull oxidized	21-360	0.940
Wrought from, dun oxidized	21-300	
Wrought, highly polished	38-250	0.280
Oxidized	100	0.74
Oxidized	500	0.84
Unoxidized	1200	0.89
Plate, pickled, then rusted red	20	0.610
Plate, completely rusted	19	0.690
Smooth oxidized eletrolytic iron	127-527	0.780-0.820
Iron Oxide	500-1200	0.85-0.89
Rough-ingot iron	927-1116	0.870-0.950
Cost Plate evidined smooth	23	0.8
Cast Plate, oxidized, smooth Cast Plate, oxidized, rough	23	0.82
Molten Pure Iron	1516-1771	0.420-0.450
Molten Armco Iron	1521-1689	0.400-0.410
Lead		0.067.0.075
Pure (99.96%) Unoxidized	127-227	0.057-0.075
0-14:4	200	0.63
Oxidized Oxidized, Gray	24	0.280
Oxidized, Gray		•
Magnesium	227-826	0,550-0.200
Magnesium Oxide	221-020	
Magnesium Oxide	900-1704	0.200
Magnesite	4000	0.380
Refractory Brick	1000	0.380

TOTAL EMISSIVITY OF VARIOUS SURFACES

TOTAL EMISSIVITY OF VARIOUS SURFACES				
MATERIAL	TEMPERATURE °C	* EMISSIVITY		
Marble, Light Grey Polished	0-100	0.903		
	0	0.09		
Mercury, Unoxidized	0	0.10		
•	25 100	0.12		
Molybdenum		0.05		
Polished	538	0.03		
Oustica	1482	0.17		
Oxidized	538	****		
Unoxidized	1000	0.13		
Unoxidized	1500	0.19		
	2000	0.24		
Filament	827-2593	0.096-0.202		
	200	0.43		
Monel Metal, Oxidized	600	0.43		
Nichrome Wire		0.65		
Clean	50			
Cicali	500-1000	0.71-0.79		
Oxidized	50-500	0.95-0.98		
Nickel	low	0.12		
Polished	1204	0.32		
	200	0.37		
Oxidized	871	0.85		
	1200	0.85		
	25	0.045		
Unoxidized	100	0.06		
	500	0.12		
	1000	0.19		
	23	0.045		
Electroplated, Polished	23	0.110		
Electroplated, not Polished	187-1007	0.096-0.18		
Wire		0370-0.48		
Plate, oxidized by heating at 600°C	650-1254	0.590-0.86		
Nickel Oxide	52-1034	0.640-0.76		
Chromnickel		0.135		
Nickel-Silver Polished	100			
Oak, Planed	21	0.900		
Oil Layers on Aluminum Foil				
(Linseed Oil)	100	0.087		
Aluminum Foil	100	0.561-0.5		
+1, 2 coats oil	100			

MATERIAL	TEMPERATURE °C	* EMISSIVITY
Paint, Lacquers, Varnishes		
Alum, Paint	0-100	0.55
Bronze Paint	0-100	0.80
Black Glass Paint	0-100	0.90
	0-100	0.95
White Lacquer	0-100	' 0.95
Green Paint	0-100	0.95
Gray Paint	0-100	0.95
Lamp Black	0-100	0.37
Gold Enamel	0-100	
Snow White Enamel varnish on	23	0.906
rough iron plate	23	0.700
Black Shiny Lacquer, sprayed	24	0.875
on iron	24	0.075
Black Shiny shellac on		0.821
tinned iron sheet	21	0.910
Black Matte shellac	77-146	***
Black on White Lacquer	38-93	0.800-0.950
Flat Black Lacquer	38-93	0.960-0.980
Oil Paints, 16 diff. (all colors) Aluminum Paints & Lacquers	100	0.920-0.960
10% A1 22% lacquer body, on rough or smooth surface	100	0.520
Other A1 paints, varying age and A1 content	100	0.270-0.670
Al Lacquer, Varnish binder on	21	0.390
rough plate		0.350
Al Paint after heating to 326°C	150-316	0.330
Radiator Paint: White, Cream, Bleach	100	0.790, 0.770, 0.840
Radiator Paint, bronze	100	0.510
Lacquer coatings, 0.001-0.015"		0.070.0.070
thick on Alum. alloys	38-150	0.870-0.970
3M Nextel101-C10	0-300	. 98
Clear Silicone Vehicle Coating 0.001-0.150" thick:		
On mild steels	260	0.660
On stainless steels 316, 301, 347	260	0.680, 0.750, 0.750
	260	0.740
On Dow Metal	260	0.770, 0.820
On A1 Alloys 24ST, 75ST	200	

TOTAL EMISSIVITY OF VARIOUS SURFACES

MATERIAL	TEMPERATURE °C	* EMISSIVITY
Aluminum Paint with silicone		
vehicle paint on Inconel	260	0.290
Dull Black Varnish	40-100	0.80-0.95
Glossy Black Varnish sprayed on		
iron	20	0.87
	40	0.96-0.98
Paper, Any Color	0-100	0.94
Thin pasted on Tinned or	19	0.920-0.940
Blackened Plate		
Plaster	0-200	0.91
Plastics, Opaque, any color	25	0.950
Platinum	200 (00	0.05-0.10
Cleaned Polished	200-600	0.05-0.10
Filament	27-1227	0.036-0.19
Unoxidized	25	0.037
Olloxidized	100	0.047
	500	0.096
	1000	0.152
	1500	0.191
Wire	50-200	0.06-0.07
	500-1000	0.10-0.16
	1400	0.18
Propellant:		
liquid rocket engine	600-4500	0.900
Quartz	21	0.930
Rough, fused	282-838	0.900-0.4
Glass, 1.98mm Thick	202-030	*****
Glass, 6.88mm Thick	300-838	0.930-0.47
Opaque	300-838	0.920-0.68
Roofing Paper	21	0.910
Silica (98 Si O2, Fe-free) effect of		
grain size, microns	,	0.430.0.3
10 microns	1010-1566	0,420-0.3
	1010-1566	0.620-0.4
70-600 microns	1010-1300	0.020 0

MATERIAL	TEMPERATURE °C	* EMISSIVITY
Silver		
Polished	100	0.052
Cleaned Polished	200-600	0.02-0.03
Unoxidized	100	0.02
,	500	0.035
Stainless Steel 18-8		
Buffed	20	0.160
Polished	93	0.16
	371	0.19
Oxidized	93-371	0.83
Stainless Steel 303	416	0.74
Oxidized	316	0.74
	1093	0.87
Stainless Steel 304 (8Cri 18 Ni)		
light silvery, rough brown,	216-490	0.440-0.360
after heating	216-490	0.620-0.730
After 42 hours of heating at 527°C	210-327	0.020-0.730
Stainless Steel 310 (25Cr, 20Ni) Brown, splotched, oxidized from		
furna ce service	216-527	0.900-0.970
Stainless Steel		
Allegheny metal No. 4, polished	100	0.130
Alleghen y metal No. 66, polished	100	0.110
Steel		
Alloyed (8%Ni, 18%Cr)	500	0.35
Aluminized	50-500	0.79
Dull Nickel Plated	20	0.11
Flat, Rough Surface	50	0.95-0.98
Cast, Polished	750-1050	0.52-0.56
Calorized, Oxidized	200	0.52
	600	0.57
Sheet Steel, Ground	938-1100	0.550-0.610
Sheet Steel, Rolled	21	0.660
Sheet Steel, Strong, Rough Oxide		
Layer	24	0.800
Sheet with Shiny layer of oxide	20	0.82
Oxidized	25	0.80
	200	0.79
	600	0.79
Unoxidized	100	0.08

MATERIAL	TEMPERATURE °C	* EMISSIVITY
Molten Steel	1500-1650	0.420-0.530
Moter see	1520-1650	0.430-0.40
Molten Mild Steel	1600-1800	0.280
Molten Steel, various with		
0.25-1.2%C (slightly oxidized		
surfaces.)	1560-1710	0.270-0.390
Molten Steel, unoxidized	Liquid	0.280
Steel Plate, Rough	40	0.94
	400	0.97 0.57
	600	0.37
Tantalum	1500	0.21
Unoxidized	2000	0.26
A	1327-3000	0.190-0.310
Filament	277-500	0.580-0.360
Thorium Oxide	2/1-300	••••
Tin Unoxidized	25	0.05
Commercial tin-plated sheet iron	100	0.070-0.080
Tungsten		0 220 0 250
Filament, aged	27-3316	0.320-0.350 0.390
Filament	3316 25	0.024
Unoxidized	23 100	0.024
	500	0.071
	1000	0.15
	1500	0.23
	2000	0.28
Turbojet Engine Operating	350-600	0.900
Water	Ambient	0.96
Wood	93	0.82
Spruce, sanded	0-200	0.89
Oak, Planed	0-200	0.05
Zinc Highly Polished	200-300	0.04-0.05
Highly Polished Unoxidized	300	0.05
Oxidized by heating at 399°C	399	0.110
Galvanized Sheet Iron,	28	0.230
fairly bright Galvanized Sheet Iron, gray	~~	
oxidized	24	0.280
Zinc, galvanized Sheet	100	0.210
Zirconium Silicate	238-500	0.920-0.800
	500-832	0.800-0.520

	TABLE I				
Spectral Emissivities of Materials, Surface Unoxidized					
MATERIAL EMISSIVITY AT .65 μ					
, and a second	Solid State	Liquid State			
Beryllium	0.61	0.61			
Carbon	0.80-0.93	0.39			
Chromium	0.34	0.39			
Cobalt	0.36	0.37			
Columbium	0.37	0.15			
Copper	0.10	0.15			
Erbium	0.55	0.30			
Gold	0.14	0.22			
Iridium	0.30	0.37			
Iron	0.35	0.59			
Manganese	0.59 0.37	0.40			
Molybdenum	0.36	0.37			
Nickel	0.33	0.37			
Palladium	0.30	0.38			
Platinum	0.30	0.30			
Rhodium	0.27	0.07			
Silver	0.49	0.0.			
Tantalum	0.36	0.40			
Thorium	0.63	0.65			
Titanium	0.43	•			
Tungsten	0.54	0.34			
Uranium	0.35	0.32			
Vanadium	0.35	0.35			
Yttrium	0.32	0.30			
Zirconium	0.35	0.37			
Steel	0.37	0.40			
Cast Iron	0.35	•			
Constantan	0.37				
Monei	0.35				
Chromel P (90 Ni-10 Cr)	0.35				
80 Ni-20 Cr	0.36				
60 Ni-24 Fe-16 Cr	1.14				
Alumel (95 Ni; Bal. Al, Mn. S	0.37				
90 Pt-10 Rh	V.21				

TABL	E II		
Spectral Emissivities of Oxides			
MATERIAL	EMISSIVITY AT .65 μ		
	Range of Observed Values	Probable Value of the Oxide Former on Smooth Metal	
Aluminum Oxide	0.22 to 0.40	0.30	
Beryllium Oxide	0.07 to 0.37	0.35	
Cerium Oxide	0.58 to 0.80		
Chromium Oxide	0.60 to 0.80	0.70	
Cobalt Oxide	to	0.75	
Columbium Oxide	0.55 to 0.71	0.70	
Copper Oxide	0.60 to 0.80	0.70	
Iron Oxide	0.63 to 0.98	0.70	
Magnesium Oxide	0.10 to 0.43	0.20	
Magnesium Oxide Nickel Oxide	0.85 to 0.96	0.90	
Thorium Oxide	0.20 to 0.57	0.50	
	0.32 to 0.60		
Tin Oxide	•••	0.50	
Titanium Oxide		0.30	
Uranium Oxide		0.70	
Vanadium Oxide		0.60	
Yttrium Oxide	0.18 to 0.43	0.40	
Zirconium Oxide		0.87	
Alumel (oxidized)		0.70	
Cast Iron (oxidized) Chromel P (90 Ni-10 Cr) (oxidized)		0.87	
Chromet P (90 Mi-10 Cr) (Oxforaco)		0.90	
80 Ni-20 Cr (oxidized) 60 Ni-24 Fe-16 Cr (oxidized)		0.83	
55 Fe-37.5 Cr-7.5 AJ (oxidized)		0.78	
70 Fe-23 Dr-5 Al-2 Co (oxidized)		0.75	
Constantan (55 Cu-45 Ni) (oxidized)	0.84	
Carbon Steel (oxidized)	•	0.80	
Stainless Steel (18-8) (oxidized)		0.85	
Porceiain	.025 to 0.50		

TABLE III Additional Emissivities at .65µ				
		Temperature	Emittance	
Material		(°C)	Polished surface	Coarse surface
Steel	Not oxidized	100-1200	0.35	0.35
	Lightly oxidized	100-1200	0.45	0.5
	Severely oxidized	100-1200	0.8-0.95	0.8-0.95
	Molten	1500	0.38	0.38
,	Not oxidized	100-1000	0.06	0.2
	Lightly oxidized	100-1000	0.4	0.5
Copper	Severely oxidized	100-1000	0.8	0.8
Molten	Molten	1080	0.15	0.15
Lead	Not oxidized	50-300	0.3	0.4
	Lightly oxidized	50-300	0.4	0.55
	Severely oxidized	50-300	0.6-0.7	0.6-0.7
	Molten	330		
White brick Sillimanite brick Silica brick	White brick	1000	0.3	
	Sillimanite brick	1000	0.5-0.6	
	Silica brick	1000	0.45-0.75	

		Temperature	Emittance	
Material		(°C)	Polished surface	Coarse surface
Zinc	Not oxidized Lightly oxidized Severely oxidized	20-400 20-400 20-400	0.2 0.3 0.6	0.3 0.5 0.6
	Alumina	1500	0.2-0.4	
Aluminum	Not oxidized Lightly oxidized Severely oxidized Molten	25-600 25-600 25-600 660	0.05 0.2 0.4	0.25 0.3 0.4
Gold	Not oxidized Molten	100-1000	0.04	0.15
	Ceramic	100-1200 1500 1800	0.25 0.3 0.4	

Where Do I Find Everything I Need for Process Measurement and Control? OMEGA...Of Course!

TEMPERATURE

þ L

- Thermocouple, RTD & Thermistor Probes, Connectors, Panels & Assemblies
- Wire: Thermocouple, RTD & Thermistor
- ☑ Calibrators & Ice Point References
- Recorders, Controllers & Process Monitors
- Infrared Pyrometers

PRESSURE, STRAIN AND FORCE

- Transducers & Strain Gauges
- ☑ Load Cells & Pressure Gauges
- ☑ Displacement Transducers
- ☑ Instrumentation & Accessories

FLOW/LEVEL

- Rotameters, Gas Mass Flowmeters & Flow Computers
- Air Velocity Indicators
- Turbine/Paddlewheel Systems
- Totalizers & Batch Controllers

pH/CONDUCTIVITY

- pH Electrodes, Testers & Accessories
- Benchtop/Laboratory Meters
- Controllers, Calibrators, Simulators & Pumps
- Industrial pH & Conductivity Equipment

DATA ACQUISITION

- Data Acquisition & Engineering Software
- ☑ Communications-Based Acquisition Systems
- Plug-in Cards for Apple, IBM & Compatibles
- Datalogging Systems
- Recorders, Printers & Plotters

HEATERS

- Heating Cable
- ☑ Cartridge & Strip Heaters
- Immersion & Band Heaters
- Flexible Heaters
- Laboratory Heaters

ENVIRONMENTAL MONITORING AND CONTROL

- Metering & Control Instrumentation
- ☑ Refractometers
- Pumps & Tubing
- Air, Soil & Water Monitors
- ☑ Industrial Water & Wastewater Treatment
- pH, Conductivity & Dissolved Oxygen Instruments

M1255/1196